
The following explains the major differences between the old and the new IPUMS-CPS systems.

The old system distinguished between browsing variables and making an extract.



The new system has abolished this distinction: there is now a single link for browsing and selecting data.

YDATA		Y IPUMS-CPS NEWS
Browse and Select Data Download or Revise Extracts Analyze data online		 New! 2010 data Census Bureau age data Forthcoming data
CPS Registration	Integrated Public Use Microdata Series census microdata for social and economic research	releases
* DOCUMENTATION	census microdata for social and economic research	8 28
FAQ Documentation Samples		 OTHER MPC PROJECTS IPUMS-USA IPUMS-International
* RESEARCH		NAPP NHGIS
Citation and Use Bibliography Related Sites Errata and Revisions	IPUMS-CPS is a project dedicated to integrating and disseminating data from the Current Population Survey. Its goals are to:	• IHIS
CONTACT US	 Collect and preserve data and documentation Harmonize data to be compatible over time and with IPUMS-USA 	
Technical Support IPUMS Staff How to Help	Prainting data to be compatible over this and with <u>rows-use</u> Disseminate the data absolutely free!	
How to Help	Use it for GOOD never for EVIL	

In the old system, selecting "Variables" took you to the overall menu.

In the new system, choose "Select Data" to see dynamic menus along with search functionality.



HOME | DATA | VARIABLES | USER'S GUIDE | CONTACT US | SEARCH | ABOUT IPUMS-CPS Copyright @ Minnesota Population Center, University of Minnesota



If you hover over "Person", you will see all the person-level variable groups. Click "Core Demographic" to see the variables of interest to you.



When browsing variables in the old system, you saw a list of all core demographic variables embedded in the full list of variables. This was often overwhelming.

Variable Name	Variable Description	Record Type	Codes	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76
RELATE	Relationship to household head	Р	codes	х	х	х	Х	Х	x	х	х	х	х	Х	Х	x	Х	х
<u>AGE</u>	Age	Р	codes	х	х	х	Х	Х	X	х	х	х	х	X	Х	X	X	х
<u>SEX</u>	Sex	Р	codes	х	х	х	Х	Х	Х	х	х	х	х	X	Х	X	Х	х
RACE	Race	Р	codes	Х	Х	х	X	Х	X	х	Х	Х	х	X	Х	X	Х	х
MARST	Marital status	Р	codes	Х	Х	х	Х	Х	X	Х	Х	Х	х	Х	Х	X	Х	х
POPSTAT	Adult civilian, armed forces, or child	Р	codes	х	х	х	х	х	x	х	х	х	х	х	Х	x	Х	х
AGEMARR	Age at first marriage	Р	codes	х			х	1	X	х	х	х	х		1	Τ.	1.	
MARRQTR	Name Relationship to household head Relationship to household head Rege Sex E Race ST Marital status STAT Adult civilian, armed forces, or child MARR Age at first marriage RROTR Quarter of marriage HOTR Quarter of birth nicity/Nativity Variables (Perso ariable Variable Description Name	Р	codes					1		Х	х	Х	х		1	1.	1	
BIRTHQTR	Quarter of birth	Р	codes					1		х	х	х	х			1.	1.	
Variadite Name	variable Description	Туре	Codes	•2	03	•1	60	-00	67	ođ	07	10	1	12	33			10
Variable	Variable Description	Record Type	Codes	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76
BPL	Birthplace	P	codes				ļ	1	1.	1				¦	1	4-	ļ.,	
YRIMMIG	Year of immigration	P	codes				 .	1	Ϊ.	5					Ť.	1.	ţ.	
CITIZEN	Citizenship status	Р	codes						1.						T.	T.	Ţ.	
CITIZEN MBPL	Citizenship status Mother's birthplace	P					•	•	:					•		+		
MBPL			codes													***		
	Mother's birthplace	P	codes codes															
MBPL FBPL	Mother's birthplace Father's birthplace	P P	codes codes codes			•	her.	ķ.						X		×	X	
MBPL FBPL NATIVITY	Mother's birthplace Father's birthplace Foreign birthplace or parentage	P P P	codes codes codes codes						4	h			h	le e e	łe e	de e	· · · ×	()
MBPL FBPL NATIVITY ANCESTRY HISPAN	Mother's birthplace Father's birthplace Foreign birthplace or parentage Ancestry	P P P P	codes codes codes codes codes						4	h			h	le e e	łe e	de e	ha a s	()
MBPL FBPL NATIVITY ANCESTRY HISPAN	Mother's birthplace Father's birthplace Foreign birthplace or parentage Ancestry Hispanic origin	P P P P	codes codes codes codes codes		63								×	×	×		ha a s	X
MBPL FBPL NATIVITY ANCESTRY HISPAN Educatio Variable Name	Mother's birthplace Father's birthplace Foreign birthplace or parentage Ancestry Hispanic origin In Variables (Person)	P P P P	codes codes codes codes codes	62		64	65	66	67	68	69	70	71	72	73	- 7 4	75	×
MBPL FBPL NATIVITY ANCESTRY HISPAN Educatio Variable Name EDUC	Mother's birthplace Father's birthplace Foreign birthplace or parentage Ancestry Hispanic origin In Variables (Person) Variable Description	P P P P P Record Type	codes codes codes codes codes codes	62 X		64	65	66	67	68	69	70	71	72	73	- 7 4	75	×
MBPL FBPL NATIVITY ANCESTRY HISPAN Educatio	Mother's birthplace Father's birthplace Foreign birthplace or parentage Ancestry Hispanic origin In Variables (Person) Variable Description Educational attainment recode	P P P P P P P	codes codes codes codes codes codes codes	62 X		64 X	65 X	66 X	67 X	68 X	69 X	70 X	71 X	72 72	73 ×	X 74	75	76 X

In the new system, you will find several helpful changes:

- Using the menu, you can limit the variables shown to one group at a time.
 (If you prefer to see the full list, you can change this by clicking "Options" .)
- You can also browse variables alphabetically.
- You can search for variables. The system will also search variable labels and descriptions, so you don't need to know the name of your variable.

ehold - Pe are Demograp	Variables rson ✓ A-Z ✓ Search hic Variables PERSON [top]	Select Samples)pt Iel	tio P	ns														
Variable	Variable Label	Туре	Codes	10	09	08 (070)6 0	504	03	02	01	00	99	98	97	96	959	949	392
RELATE	Relationship to household head	P	codes	Х	Х	Х	Х	X)	(X	Х	Х	Х	Х	Х	Х	Х	Х	Х	X	хх
AGE	Age	P	<u>codes</u>	Х	Х	Х	Х	X)	C X	Х	Х	Х	Х	Х	Х	Х	Х	Х	X	хх
<u>SEX</u>	Sex	Р	<u>codes</u>	Х	Х	Х	Х	X)	(X	Х	Х	Х	Х	Х	Х	Х	Х	Х	X	хх
RACE	Race	Р	codes	Х	Х	Х	Х	X)	ĊX	Х	Х	Х	Х	Х	Х	Х	Х	Х	X	хх
MARST	Marital status	Р	<u>codes</u>	Х	Х	Х	Х	X)	C X	Х	Х	Х	Х	Х	Х	Х	Х	Х	X	хх
<u>POPSTAT</u>	Adult civilian, armed forces, or child	Р	<u>codes</u>	Х	Х	Х	Х	X)	(X	Х	Х	Х	Х	Х	Х	Х	Х	Х	X	хх
AGEMARR	Age at first marriage	Р	<u>codes</u>																	
MARRQTR	Quarter of marriage	Р	<u>codes</u>																	
<u>BIRTHQTR</u>	Quarter of birth	Р	<u>codes</u>	÷	·	•	•			•	•	÷	÷	•	•	·	·	•	•	

In the old system, you saw a list of all core demographic variables embedded in the full list of variables. This was often overwhelming.

Variable Name	Variable Description	Record Type	Codes	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76
RELATE	Name Are ATE Relationship to household head Age Sex Sex Sex E Race SST Marital status STAT Adult civilian, armed forces, or child MARR Age at first marriage RRQTR Quarter of marriage THQTR Quarter of birth unicity/Nativity Variables (Personal state) Variable Description	Р	codes	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х
AGE	Age	Р	codes	х	х	х	х	х	х	х	x	х	х	х	х	х	х	х
<u>SEX</u>	Sex	Р	codes	Х	Х	х	Х	х	Х	Х	х	Х	х	Х	Х	х	Х	Х
RACE	Race	Р	codes	х	х	х	х	х	х	х	х	х	х	х	х	х	Х	х
MARST	Marital status	Р	codes	х	х	х	х	х	х	х	х	х	х	х	х	х	Х	х
POPSTAT	Adult civilian, armed forces, or child	Р	codes	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х
AGEMARR	Age at first marriage	Р	codes	х			х		х	х	x	х	х					
MARROTR	Quarter of marriage	Р	codes							х	x	х	х					
BIRTHQTR	tame Relationship to household head Age Sev E Race STAT Adult chilian, armed forces, or child WARR Age at first marriage RQTR Quarter of marriage HQTR Quarter of birth nicity/Nativity Variables (Perso variable Variable Description	P	codes							х	x	х	х					
Variable	Variable Description	Record Type	Codes	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76
	1																11	
	Variable Description			62	63	64	65	66	67	68	69	70	71	72	73	74	75	76
Name		Туре	Codes		63	64	65	66	67	68	69	70	71	72	73	74	75	76
Name <u>BPL</u>	Birthplace	Type P	Codes		63 ,	64	65	66	67	68	69	70	71	72	73	74	75	76
Name BPL YRIMMIG	Birthplace Year of immigration	Type P P	Codes codes codes		63	64	65	66	67	68	69	70	71	72	73	74	75	76
Name BPL YRIMMIG CITIZEN	Birthplace Year of immigration Citizenship status	Type P P P	Codes codes codes codes		63	64	65	66	67	68	69	70	71	72	73	74	75	76
Name BPL YRIMMIG CITIZEN MBPL	Birthplace Year of immigration Citizenship status Mother's birthplace	Type P P P	Codes codes codes codes		63	64		•	•	•	69	70	71	72	73	74	75	76
Name BPL YRIMMIG CITIZEN MBPL FBPL	Birthplace Year of inmigration Citizenship status Mother's birthplace Father's birthplace	Type P P P P	Codes codes codes codes codes codes		63	·		· · · · · · · · · · · · · · · · · · ·	•			70	71	72	73	74	75	76
Name BPL YRIMMIG CITIZEN MBPL FBPL NATIVITY	Birthplace Year of immigration Citizenship status Mother's birthplace Father's birthplace Foreign birthplace or parentage	Type P P P P P	Codes codes codes codes codes codes		63									•••				
Name BPL YRIMMIG CITIZEN MBPL FBPL NATIVITY ANCESTRY	Birthplace Year of immigration Citizenship status Mother's birthplace Father's birthplace Foreign birthplace or parentage Ancestry	Type P P P P P P P	Codes codes codes codes codes codes codes		63			· · · · · · · · · · · · · · · · · · ·										
Name BPL YRIMMIG CITIZEN MBPL FBPL NATIVITY	Birthplace Year of immigration Citizenship status Mother's birthplace Father's birthplace Foreign birthplace or parentage	Type P P P P P	Codes codes codes codes codes codes		63													
Name BPL YRIMMIG CITIZEN MBPL FBPL NATIVITY ANCESTRY HISPAN	Birthplace Year of immigration Citizenship status Mother's birthplace Father's birthplace Foreign birthplace or parentage Ancestry Hispanic origin	Type P P P P P P P	Codes codes codes codes codes codes codes		63													
Name BPL YRIMMIG CITIZEN MBPL FBPL NATIVITY ANCESTRY HISPAN	Birthplace Year of immigration Citizenship status Mother's birthplace Father's birthplace Foreign birthplace or parentage Ancestry	Type P P P P P P P	Codes codes codes codes codes codes codes		63													
Name BPL YRIMMIG CITIZEN MBPL EBPL NATIVITY ANCESTRY HISPAN Educatio	Birthplace Year of immigration Citizenship status Mother's birthplace Foreign birthplace or parentage Ancestry Hispanic origin N Variables (Person)	Type P P P P P P P P	Codes codes codes codes codes codes codes		63													
Name BPL YRIMMIG CITIZEN MBPL FBPL NATIVITY ANCESTRY HISPAN	Birthplace Year of immigration Citizenship status Mother's birthplace Father's birthplace Foreign birthplace or parentage Ancestry Hispanic origin	Type P P P P P P P	Codes codes codes codes codes codes codes										· · · · · · · · · · · · · · · · · · ·	· · · · · · ·	· · · · · · · · · · · · ·			
Name BPL YRIMMIG CITIZEN MBPL FBPL NATIVITY ANCESTRY HISPAN Educatio Variable Name	Birthplace Year of immigration Citizenship status Mother's birthplace Foreign birthplace or parentage Ancestry Hispanic origin N Variables (Person)	P P P P P P P P P P P Record	Codes codes codes codes codes codes codes	62	63		65		67	68	69	70	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				
Name BPL YRIAMIG CITIZEN MBPL EBPL NATIWITY ANCESTRY HISPAN Educatio Variable Name EDUC	Birthplace Year of immigration Citizenship status Mother's birthplace Father's birthplace Foreign birthplace or parentage Ancestry Hispanic origin n Variables (Person) Variable Description	P P P P P P P P P P P P Record Type	codes codes codes codes codes codes codes codes codes codes		63		65		67	68	69	70	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				
Name BPL YRIMMIG CITIZEN MBPL FBPL NATIVITY ANCESTRY HISPAN Educatio	Birthplace Year of immigration Citizenship status Mother's birthplace Father's birthplace or parentage Ancestry Hispanic origin n Variables (Person) Variable Description Educational attainment recode	Type P P P P P P P P P P P P P P P P P P P	codes codes codes codes codes codes codes codes	62 X	63			- - - - - - - - - - - - - - - - - - -	67 X	68 ×	69 X		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·

There are more entirely new features:

- More recent (and therefore more frequently used) samples now appear on the left to limit scanning across rows. (You can switch back to the old look by clicking on "Options".)
- You can limit browsing only to those variables available in your desired samples by clicking "Select Samples".
- If you're stuck, help is just a click away.

House	ehold 🔻	Variables Person v A-Z v Search	Select Samples)pt Ielj	ion P	<u>2</u>													
	vre Demogr Variable	aphic Variables PERSON <u>[top]</u> Variable Label	Туре	Codes	10	090	8	706	505	04(030	201	1 00	99	98	979	969	959	49	392
	RELATE	Relationship to household head	Р	codes	Х	X	x	ΧХ	Х	Х	X)	C X	: Х	Х	Х	Х	X	X	X)	\sim
	AGE	Age	P	<u>codes</u>	Х	X	x	хх	X	х	X)	< X	X	Х	Х	Х	X	X	()	$\subset X$
	<u>SEX</u>	Sex	P	codes	Х	X	x	хх	X	Х	X)	\sim	C X	Х	х	Х	X	X	\sim	$\subset X$
	RACE	Race	P	<u>codes</u>	Х	X	x	хх	X	х	хþ	\sim	X X	Х	Х	Х	X	X	()	\sim
	MARST	Marital status	Р	<u>codes</u>	Х	X	x	хх	X	х	X)	< X	X	Х	Х	Х	X	X	()	$\subset X$
	<u>POPSTAT</u>	Adult civilian, armed forces, or child	P	codes	Х	X	x	хх	X	Х	X)	\sim	C X	Х	х	Х	X	X	\sim	$\subset X$
	AGEMARR	Age at first marriage	Р	codes																
	MARRQTR	Quarter of marriage	Р	<u>codes</u>																
	BIRTHQTR	Quarter of birth	Р	<u>codes</u>	÷	÷		• •	•	÷	• •			•	÷	·	•	•		

To select data in the old system, you had to go through a separate process: first "Create Extract", then define your extract type and select samples, then select variables). You also had to think ahead for case selection, attaching characteristics of other household members, and selecting data quality flags (not shown).

	Home Create Extract Variables FAQ Contact Us
*DATA	Ontions for gotting IDUMS CDS data
Create an Extract	Options for getting IPUMS-CPS data
Download or Revise Extracts	Make your own customized extract
Analyze data online	
CPS Registration	 <u>Register for access</u> to use the data extraction system. The data and documentation are free, and approval is instantaneous.
* DOCUMENTATION	Create an extract using the free online extraction system.
FAQ	• We will email you when the extract is ready. Usually it takes less than an hour.
Documentation	 <u>Download</u> your customized dataset, codebook, and statistics package syntax file.
Variables	Having trouble?
Samples	 See our instructions for using the data extraction system.
* RESEARCH	 See our instructions for <u>opening an extract on your PC</u>. Feel free to ask us for help.

		Sample Selection			
		Continue			
tract File Ty	pe				
Rectangular					
Hierarchical					
mples					
1962 1963 1964 1965 1966 1967 1968 1969	1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1979	□ 1980 □ 1981 □ 1982 □ 1983 □ 1984 □ 1985 □ 1986 □ 1987 □ 1988 □ 1989	1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 1999	♥ 2000 ♥ 2001 ♥ 2002 ♥ 2003 ♥ 2004 ♥ 2005 ♥ 2006 ♥ 2007 ♥ 2008 ♥ 2009	
□ <u>1962 - 1969</u>	🗖 <u>1970 - 1979</u>	□ <u>1980 - 1989</u>	□ <u>1990 - 1999</u>		
		Continue			

Variable Name	Variable Description	<u>Case</u> Selection	<u>Attach</u> Variables	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
RELATE	Relationship to household head			Х	Х	Х	х	х	Х	х	Х	х	х
☑ AGE	Age			Х	Х	Х	Х	х	Х	Х	Х	х	х
✓ <u>SEX</u>	Sex			Х	Х	Х	Х	х	Х	х	Х	х	х
RACE	Race			Х	Х	Х	Х	х	Х	х	Х	х	х
MARST	Marital status			Х	Х	Х	Х	Х	Х	х	Х	х	х
D POPSTAT	Adult civilian, armed forces, or child			х	х	х	x	х	х	х	х	х	х
All Core Demographic Varia	ibles		<u>.</u>		i	i					l		
			<u>}</u>										
☐ All Core Demographic Varia <u> Ethnicity/Nativity Va</u> Variable Name		Case Selection	Attach Variables	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
<mark>Ethnicity/Nativity Va</mark> Variable Name	riables (Person)										2007 X		
<u>Sthnicity/Nativity Va</u> Variable Name □ <u>BPL</u>	riables (Person) Variable Description		Variables	x	x	Х	x	х	x	x		x	х
thnicity/Nativity Va Variable Name	riables (Person) Variable Description Birthplace		Variables	x x	x	x x	x x	X X	x x	X X	х	X X	x x
Ethnicity/Nativity Va	riables (Person) Variable Description Birthplace Year of immigration		Variables	x x x	x x	x x x	x x x						



9 variables 10 samples

In the new system, you can start selecting variables and samples right away. You can choose variables and then fit your sample selections to the variables you've chosen. Or you can select certain samples and fit your variable selections to the samples you want.

The Data Cart in the upper right corner of your screen shows you how many variables and samples you've picked. You can view your cart at any time, then return to select more variables. When you're finished selecting variables, simply click "Check Out".

	Variables	Select	Options
Household 🔻	Person 🔻 A-Z 🔻 Search	Samples	Help
	raphic Variables PERSON [top]		
Add to <u>cart</u> Variable	Variable Label	Туре С	Codes 10 09 08 07 06 05 04 03 02 01 00 99 98 97 96 95 94 93 92 9
RELATE	Relationship to household head	P <u>c</u>	<u>codes</u> X X X X X X X X X X X X X X X X X X X
AGE	Age	P <u>c</u>	<u>codes</u> X X X X X X X X X X X X X X X X X X X
SEX	Sex	P <u>c</u>	<u>codes</u> X X X X X X X X X X X X X X X X X X X
RACE	Race	P <u>c</u>	<u>codes</u> X X X X X X X X X X X X X X X X X X X
MARST	Marital status	P <u>c</u>	<u>codes</u> X X X X X X X X X X X X X X X X X X X
POPSTAT	Adult civilian, armed forces, or child	Р <u>с</u>	<u>codes</u> XXXXXXXXXXXXXXXXXXXXXXXX
AGE/MARF	Age at first marriage	P <u>c</u>	<u>codes</u>
	Quarter of marriage	P c	<u>codes</u>
BIRTHQT	R Quarter of birth	D o	 codes

nformation on this	feature).			ponding to chosen o	
				Submit sa	mple selections
🗆 Select All					
	1970	1980	1990	☑ 2000	
	1971	1981	1991	☑ 2001	
<u>1962</u>	1972	1982	1992	☑ 2002	
□ <u>1963</u>	🗆 <u>1973</u>	□ <u>1983</u>	<u>1993</u>	☑ 2003	
<u>1964</u>	<u>1974</u>	<u>1984</u>	<u>1994</u>	✓ 2004	
□ <u>1965</u>	□ <u>1975</u>	□ <u>1985</u>	<u>1995</u>	☑ <u>2005</u>	Ī
<u>1966</u>	□ <u>1976</u>	<u>1986</u>	<u>1996</u>	☑ 2006	
<u> </u>	<u> </u>	<u>1987</u>	<u>1997</u>	<u> 2007</u> ⊡	
<u> </u>	<u>1978</u>	<u> </u>	<u>1998</u>	<u> 2008</u>	_
<u>1969</u>	□ <u>1979</u>	<u>1989</u>	<u>1999</u>	☑ <u>2009</u>	□ <u>2010</u>
1962 - 1969	1970 - 1979	1980 - 1989	1990 - 1999	2000 - 2009	

		Vai	riabl	es			Select	2	Opt	io	ns							
House	ehold 🔻	Person	-	A-Z	-	Search	Samples	JĿ	lel	2								
		raphic Vari	ables	PER	SON	<u>[top]</u>												
<u>Add to</u> <u>cart</u>	Variable				Varial	ble Label	Туре	Codes	09	08	07	06	05	04	03	02	010	0
~	RELATE	Relati	onshi	p to ho	ouseh	old head	P	<u>codes</u>	Х	Х	Х	Х	Х	Х	Х	Х	X)	x
~	AGE	Age					Р	<u>codes</u>	Х	Х	Х	Х	Х	Х	Х	Х	X)	Х
~	<u>SEX</u>	Sex					P	<u>codes</u>	Х	Х	Х	Х	Х	Х	Х	Х	X)	Х
\checkmark	RACE	Race					Р	<u>codes</u>	Х	Х	Х	Х	Х	Х	Х	Х	X)	Х
✓	MARST	Marita	alstat	tus			Р	<u>codes</u>	Х	Х	Х	Х	Х	Х	Х	Х	X X	Х
	POPSTAT	Adult	civilia	an, arm	ed fo	rces, or child	P	<u>codes</u>	Х	х	х	Х	Х	Х	Х	Х	X	Х

After submitting your variable selections in the old system, separate screens would let you select cases and attach characteristics.

Attached Variable Selection

Please check the boxes below to indicate whose characteristics you would like attatched to all persons in the dataset. Checking the boxes below will produce versions of the selected variable that end in the suffixes "_HEAD", "_POP", "_MOM", and "_SP." For instance checking the "Spouse" box next to the AGE variable would produce a variable called AGE_SP, which would specify the age of each respondent's spouse. AGE_SP would have values only in cases where a respondent's spouse is present in the household. Persons without a spouse in the household would have a missing value in the AGE_SP variable.

Variable	Head	Father	Mother	Spouse
RACE				•





When checking out in the new system, you first log in, then set extract options, and finally have the option to select cases, attach characteristics, and include data quality flags. (These dialogs look very similar to the old system.) At each step, you'll find contextsensitive help.

Set extract options (help) Extract file type Rectangular Hierarchical (syntax files might require modification by user) Continue to next step

IPUNIS CPS data extract system 1>2>3

Set variable options (help)

<u>Include in</u> <u>extract</u>	<u>Select</u> <u>Cases</u>	<u>Attach</u> <u>Characteristics</u>	Include Flags	Variable	Variable Label	Туре
•				YEAR	Survey year	н
✓				SERIAL	Household serial number	н
				HHWT	Household weight	н
V				PERWT	Person weight	P
				RELATE	Relationship to household head	Р
v	v			AGE	Age	Р
v				<u>SEX</u>	Sex	Р
v		v		RACE	Race	Р
\checkmark				MARST	Marital status	Р
v				POPSTAT	Adult civilian, armed forces, or child	Р
					Continue to next step	

Finally, you'll have a chance to review your extract and change selections and options before submitting it. The old and the new versions of the system look quite similar, although the new version has been streamlined.

We hope you find our new look helpful!

ectang	ılar		
Case	Selection		
nclude	all persons in the ho	useholds of individuals meeting case selecti	ion criteria
/aria	bles and Case	Selection	
Гуре	Variable	Label	Case Selection
н	YEAR	Survey year	-
н	HHWT	Household weight	
р	PERWT	Person weight	
р	RELATE	Relationship to household head	
0	AGE	Age	details
0	SEX	Sex	-
0	RACE	Race	
р	MARST	Marital status	-
р	HCOVANY	Any insurance, public or private (summ	ary)
р	RACE_SP	Race [of spouse]	
Case se	ection method: Incl	ude all persons residing in a household with	a selected person
Jse tl	nese buttons t	o make changes to your extra	ct
	Change Sample	e Selection Change Cas	e & Flag Selection
	Change Variabl	e Selection Change Attache	ed Variables Selection
ubm	it extract requ	lest	
escript	ion of extract		

Туре	Variable	Labet	Case Selection
н	YEAR	Survey year	
н	SERIAL	Household serial number	
н	HHWT	Household weight	
Р	PERWT	Person weight	
Р	RELATE	Relationship to household head	
Р	AGE	Age	<u>details</u>
Р	<u>SEX</u>	Sex	
Р	RACE	Race	
Р	MARST	Marital status	
Р	<u>POPSTAT</u>	Adult civilian, armed forces, or child	
Р	RACE_SP	Race [of spouse]	
		le all persons residing in a household with a selec make changes to your extract.	ted person.
	ese buttons to r Samples and variab Extract options Variable options Case Selection	nake changes to your extract.	ted person.
	Samples and variab Extract options Variable options Case Selection Attached characteri	nake changes to your extract.	ted person.